

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

## **IMAGES ARE BEST AVAILABLE COPY.**

As rescanning documents *will not* correct images,  
Please do not report the images to the  
Image Problem Mailbox.







Fig. 1



**Fig. 2**

Fig. 3






Fig. 4



United States Patent

Fig. 5






Fig. 6

Fig. 7






Fig. 8









Fig. 9









## DEFORMATION UNDER LATERAL PRESSURE LOAD



## DEFORMATION UNDER PRESSURE FROM ABOVE







004720 65020460

- 1. MAXIMUM AT COMMENCEMENT OF WETTING (APPROX. 1 ML BSS)  
—●— 2. MAXIMUM AFTER COMPLIED HOMOGENISATION (APPROX. 6-10 ML BSS)




Fig. 12



